

# Accessories



## Accessories

### RS-140, 200 and 380 dry linen trolleys

- It consists of a nylon bag with rope for easy handling, and a highly resistant EPOXI treated tubular frame.
- Foldable structure with 4 swivelling wheels.



Model	Reference	Description	Volume	Dimensions mm		
				dm <sup>3</sup>	W	D
RS 140	2PCC0190	Nylon bag	140	895	560	750
RS 200	2PCC0300	Nylon bag	200	1.050	620	900
RS 380	2PCC0400	Nylon bag	380	1.090	620	980

### CS-1203 and 1204 shelves trolleys

- Special for the transport of dry linen.
- Construction is a rod frame in anti-rust steel.
- Two swivelling and two fixed wheels.
- Two or three shelves depending on model.



Model	Reference	Description	Dimensions mm		
			W	D	H
CS 1203	2PCCCES3	Base + 2 shelves	1.200	805	1.800
CS 1204	2PCCCES4	Base + 3 shelves	1.200	805	1.800
Extra shelf	2PCCCE14	1 extra shelf	-	-	-

### PAK-1 and 2 paktainer trolleys

- Special for the transport of dry linen.
- Construction is a rod frame in anti-rust steel.
- Two or three shelves depending on model.
- Two swivelling and two fixed wheels.
- OPTION: door and extra shelf.



Model	Reference	Description	Dimensions mm		
			W	D	H
PAK 1	2PCCPAK1	PAK 1 (1 shelf)	715	805	1.800
PAK 2	2PCCPAK2	PAK 2 (2 shelves )	715	805	1.800
Door	2PCCPA16	Door	-	-	-
Extra shelf	2PCCCE1	1 extra shelf	-	-	-

### PAK-5 and 6 paktainer trolleys

- Special for the transport of dry linen.
- Zinced structure trolley, with 1 door, and 2+2 Ø 100 wheels.

Model	Reference	Description	Dimensions mm		
			W	D	H
PAK-5	2PCCPAK5	PAK 5 (1 shelf)	620	675	1.700
PAK-6	2PCCPAK6	PAK 6 (2 shelves )	670	530	1.270
Extra shelf	2PCCCE2	1 extra shelf	-	-	-



## RHG-200, 400 and 600 wet linen trolleys with tap

- Container in white fibreglass.
- Four swivelling wheels.
- Tap at the bottom for models RHG-400 and 600.



Model	Reference	Description	Volume	Dimensions mm		
				dm <sup>3</sup>	W	D
RHG 200	2PCCR200	No drain tap	200	655	560	715
RHG 400	2PCCR402	Drain tap	400	865	550	735
RHG 600	2PCCR601	Drain tap	600	1.000	700	740

## RH- 250, 400 and 600 wet linen trolleys

- White polyethylene container and highly resistant steel platform.
- Two swivelling and two fixed Ø 125mm wheels.



Model	Reference	Description	Volume	Dimensions mm		
				dm <sup>3</sup>	W	D
RH 250	2PCCR250	Polyethylene tank	250	624	884	770
RH 400	2PCCR400	Polyethylene tank	400	780	1.100	770
RH 600	2PCCR600	Polyethylene tank	600	910	1.300	691

## FM-200, 300 and 600 moving bottom trolleys

- Container built in ionized aluminium and rubber protections.
- Ergonomic: Interior base which comes up and trolley is emptied, for a constant level and maximum comfort for the operator.
- Two swivelling and two fixed wheels.



Model	Reference	Inner dimensions	Wheels	Volume	Dimensions mm		
					mm	Ø	dm <sup>3</sup>
FM-200	2PCCMOV3	1.000 x 420 x 545	100	200	1.030	450	800
FM-300	2PCCMOV2	1.000 x 600 x 545	100	300	1.030	630	800
FM-600	2PCCMOV0	1.360 x 645 x 545	125	600	1.390	675	800

## CSH-4 and CSH-3 room-service trolleys

- Trolley with 3 or 4 trays and two bags for the room-service in hotels and care homes.
- Four swivelling wheels.



Model	Reference	Features	Trays	Dimensions mm		
				W	D	H
CSH-4	2PCCBAN1	4 trays and 2 side bags	4	1.470	560	1.280
CSH-3	2PCCBAN2	3 trays and 2 side bags	3	1.190	560	1.060

## C-PER Clothes rack

- Built in chromed steel, detachable.
- Four swivelling Ø 100mm wheels with protections.



Model	Reference	Features	Dimensions mm		
			W	D	H
C-PER	2PCCPERO	Usable height 1.000 mm.	530	1.500	1.500